Pushplata Scholarship Scheme
Policy(Year 2022-23)

Date:- 12-05-2022

On the Basis of Admission test conducted for the students taking admissions in B.Tech 1st Year of all the Courses, College Management has decided to provide Scholarship to these Students in the form of Fee Concession in their 1st Year Fees.

The Criteria for scholarship is as follows:-

Students Scoring

90% and above will get Concession Rs 15,000.

Director
R.D. Engineering College
Duhai, Ghaziabad

Dr. Sanjeev Sharma

(Director)

Cc To

1. All HODs

2. Chief Finance Officer

3. Accounts Department

4. IQAC

Dean Academics
R.D. Engineering College
Duhai, Ghaziabad

R.D. ENGINEERING COLLEGE,GHAZIABAD
PUSHPLATA SCHOLARSHIP SCHEME(DETAILS)
Session: 2022-23

S.NO	ROLL NO	NAME	FATHER'S NAME	BRANCH	YEAR	TOTAL FEE (Rs)	CONCESSION PROVIDED (Rs)
1	2202310100102	Tania	Pradeep Kumar	CS	1st	55000	15000
2	2202310100112	Vanishka Aggarwal	Arun Kumar	CS	1st	55000	15000
3	2202311540003	Aman Kumar	Ranvir Singh	CS-DS	1st	55000	15000
4	2202311550006	Ankur	Narender	CS-IOT	1st	55000	15000
5	2202311530046	Mohd. Adnan	Mohammad Umar	CS-AIML	1st	55000	15000
6	2202310130033	Murly	Inderpal Singh	IT	1st	55000	15000
7	2202310130038	Rishi Mishra	Ranjeet Mishra	IT	1st	55000	15000
						Total concession Provided :	₹ 105,000

Registrar
R.D. Engineering College
Ghaziabad

Director
R.D. Eng... College

Head
ASH

Dean Academics
R.D. Engineering College
Duhai, Ghaziabad

Name of Applicant: - ...Aman.. Kumar

Father's Name: - ...Mr....Rajvir Singh

Branch (to be opted):- ...CS - DS

Note:- Attempt all Questions. Each question is of 1 mark.

1. If the 5th term of an arithmetic progression is 17 and the 9th term is 37. What is the 1st term?
   (a) -6   (b) -3   (c) 0   (d) 3

2. A die is thrown. Let A be the event that the number obtained is greater than 3. Let B be the event that the number obtained is less than 5. Then P (A ∪ B) is
   (a) 3/5   (b) 0   (c) 1   (d) 5/2

3. If Cos x + sin x = a then the value of cos 2x is

   (a) a   (b) $a\sqrt{2-a}$ (c) $a\sqrt{2+a}$ (d) $a^2 - 1$

4. If $(1+ \sqrt{1+x})$ tan x = $1+\sqrt{1+x}$ then sin 4x =

   (a) 4x   (b) 2x   (c) x   (d) none of these

5. For the real value of cos $\theta = x + \dfrac{1}{x}$ then

   (a) θ is acute angle   (b) θ is obtuse angle   (c) right angle   (d) none of these

6. If tan $\alpha = \dfrac{1}{7}$, tan $\beta = \dfrac{1}{3}$, then cos 2α =

   (a) Sin 2β (b) Sin 4β (c) Sin 4β (d) cos2β

7. The value of $2018\displaystyle\int_0^1 \dfrac{e^{\cos \pi x}}{e^{\cos \pi x}+e^{-\cos \pi x}}dx$ is

   (a) 1008   (b) 1009   (c) 2017   (d) 2000

8. If $2^x + 2^y = 2^{x+y}$ then $\dfrac{dy}{dx}$ at $x = 1 = y$

(a) 0   (b) -1 •   (c) 1   (d) 2

9. Derivative of $\cos^{-1}(\dfrac{x^{-1} - x}{x^{-1} + x})$ at x= -1 is

(a) -2   (b) -1   (c) 0   (d)1

10. A number is chosen form among the first 30 natural numbers. The probability that the number is a prime number i:

(a) $\dfrac{1}{3}$ (b) $\dfrac{3}{10}$ (c) $\dfrac{1}{30}$ (d) $\dfrac{11}{30}$

11. The value of gravitational acceleration on Earth is

(a) 9.8 m/s   (b) 9.8 m/s^2 (c) 8.9 m/s   (d) 8.9 m/s^2

12. What would be the height of an artificial satellite so that it remains stationary with respect to earth's surface

(a) 36000 km above the earth surface   (b) 40000 km above the earth surface

(c) 26000 km above the earth surface   (d) 63000 km above the earth surface

13. The value of gravitational acceleration

(a) increases as height increases from the earth.   (b) decreases as height increases from the earth.

(c) remains constant.   (d) None of the above

14. The centripetal force required by the artificial satellite to revolve around earth is provided by

(a) fuel contained in the satellite   (b) gravitational force due to sun

(c) gravitational force due to earth   (d) Thrust produced by burning fuel

15. In which region of earth the weight of a body is slightly greater than the other regions?

(a) At polar region   (b) At equator   (c) Tropic of Cancer   (d) None of this

16. What is the value of the escape velocity of earth?   (a) 9.8 km/sec   (b) 10 km/sec   (c) 11.2 km/sec   (d) 12 km/s

17. How much time does a polar satellite take to complete one revolution around earth?

(a) 1 hour 30 min   (b) 2 hours   (c) 2 hour 20 min   (d) 3 hour

18. In case of a planet's motion on its circular orbit

(a) its velocity remains constant in its orbit   (b) its angular velocity remains constant

(c) its total angular momentum remains constant. (d) radius of orbit remains constant.

19.If the radius of earth is decreased keeping its mass constant, then the length of day will

(a) decrease   (b) Increase   (c) remain same   (d) cannot say

20.If the earth would stop rotating then the weight of an object on north pole will

(a) increase   (b) decrease   (c) remain same   (d) be zero

21. Producer gas is defined as which of the following mixtures?
a) carbon dioxide and hydrogen   b) carbon monoxide and hydrogen
c) carbon monoxide and nitrogen   d) carbon dioxide and nitrogen

22. When two perfect solutions with volume V each are combined, What is the volume of the solution as a result?
a) V   b) 2V
c) Greater than 2V   d) Less than 2V

23. The heat of solution or mixing has a negative side.
a) Heat of solution   b) Heat of dissolution
c) Heat of reaction   d) Heat of mixing

24. A solution made up of numerous components in which each component's property is the weighted sum of its sepa
properties. The answer is
a) Ideal Solution   b) Non-Ideal solution
c) Real Solution   d) None of the mentioned

25. What is an example of camphor in N2 gas?
a) Solid in gas solution   b) Gas in gas solution
c) Solid in liquid solution   d) Liquid in gas solution

26. What makes a solution?
a) Solute and solvent   b) Solute and solute
c) Solvent and solvent   d) None of the above

27. What is the class of the substitution product of LiAlH4 and an alkyl halide reaction?
a) Haloalkane   b) Alkyl nitrite
c) Nitroalkane   d) Hydrocarbon

28. Which of the following statements about SN2 mechanisms is incorrect?
a) The transition state is stable
b) The complete mechanism takes place in a single step
c) The rate of the reaction depends on the concentration of both reactants
d) There is an inversion of configuration

29. What is 3-Bromopropene's common name?
a) Allyl bromide   b) Vinyl bromide
c) Tert-Butyl bromide   d) Propylidene bromide

30. What is the catalyst in the chloroalkane reaction of a primary alcohol with HCl?
a) red phosphorous   b) concentrated H2SO4
c) anhydrous ZnCl2   d) pyridine

Pushplata Scholarship Scheme

Qualifying Examination   Time: - 2 Hrs

Admission Year – (2022-23)

Name of Applicant: - .....murly......

Father's Name: - .....Inderpal Singh......

Branch (to be opted):- .....IT......

Note:- **Attempt all Questions. Each question is of 1 mark.**

1. If the 5th term of an arithmetic progression is 17 and the 9th term is 37. What is the 1st term?
   (a) -6   (b) -3   (c) 0   (d) 3

2. A die is thrown. Let A be the event that the number obtained is greater than 3. Let B be the event that the number obtained is less than 5. Then $P(A \cup B)$ is
   (a) 3/5   (b) 0   (c) 1   (d) 5/2

3. If $\cos x + \sin x = a$ then the value of $\cos 2x$ is

   (a) a   (b) $a\sqrt{2-a}$ (c) $a\sqrt{2+a}$ (d) $a^2 - 1$

4. If $(1 + \sqrt{1+x}) \tan x = 1 + \sqrt{1+x}$ then $\sin 4x =$

   (a) 4x   (b) 2x   (c) x   (d) none of these

5. For the real value of $\cos \theta = x + \dfrac{1}{x}$ then

   (a) θ is acute angle   (b) θ is obtuse angle   (c) right angle   (d) none of these

6. If $\tan \alpha = \dfrac{1}{7}$, $\tan \beta = \dfrac{1}{3}$, then $\cos 2\alpha =$

   (a) $\sin 2\beta$ (b) $\sin 4\beta$ (c) $\sin 4\beta$ (d) $\cos 2\beta$

7. The value of $2018 \displaystyle\int_0^1 \frac{e^{\cos \pi x}}{e^{\cos \pi x} + e^{-\cos \pi x}} dx$ is

   (a) 1008   (b) 1009   (c) 2017   (d) 2000

Dean Academics
R.D. Engineering College
Duhai, Ghaziabad

Director
R.D. Engineering College
Duhai, Ghaziabad

Registrar
R.D. Engineering College
Ghaziabad

8. If $2^x + 2^y = 2^{x+y}$ then $\dfrac{dy}{dx}$ at $x = 1 = y$

(a) 0   (b) -1   (c) 1   (d) 2

9. Derivative of $\cos^{-1}\left(\dfrac{x^{-1}-x}{x^{-1}+x}\right)$ at x= -1 is

(a) -2   (b) -1   (c) 0   (d)1

10. A number is chosen form among the first 30 natural numbers. The probability that the number is a prime number is

(a) $\dfrac{1}{3}$ (b) $\dfrac{3}{10}$ (c) $\dfrac{1}{30}$ (d) $\dfrac{11}{30}$

11. The value of gravitational acceleration on Earth is

(a) 9.8 m/s   (b) 9.8 m/s^2 (c) 8.9 m/s   (d) 8.9 m/s^2

12. What would be the height of an artificial satellite so that it remains stationary with respect to earth's surface

(a) 36000 km above the earth surface   (b) 40000 km above the earth surface

(c) 26000 km above the earth surface   (d) 63000 km above the earth surface

13. The value of gravitational acceleration

(a) increases as height increases from the earth.   (b) decreases as height increases from the earth.

(c) remains constant.   (d) None of the above

14. The centripetal force required by the artificial satellite to revolve around earth is provided by

(a) fuel contained in the satellite   (b) gravitational force due to sun

(c) gravitational force due to earth   (d) Thrust produced by burning fuel

15. In which region of earth the weight of a body is slightly greater than the other regions?

(a) At polar region   (b) At equator   (c) Tropic of Cancer   (d) None of this

16. What is the value of the escape velocity of earth?   (a) 9.8 km/sec   (b) 10 km/sec   (c) 11.2 km/sec   (d) 12 km/s

17. How much time does a polar satellite take to complete one revolution around earth?

(a) 1 hour 30 min   (b) 2 hours   (c) 2 hour 20 min   (d) 3 hour

18. In case of a planet's motion on its circular orbit

(a) its velocity remains constant in its orbit   (b) its angular velocity remains constant

(c) its total angular momentum remains constant. (d) radius of orbit remains constant.

19. If the radius of earth is decreased keeping its mass constant, then the length of day will

(a) decrease   (b) Increase   (c) remain same   (d) cannot say

20. If the earth would stop rotating then the weight of an object on north pole will

(a) increase   (b) decrease   (c) remain same   (d) be zero

21. Producer gas is defined as which of the following mixtures?
a) carbon dioxide and hydrogen   b) carbon monoxide and hydrogen
c) carbon monoxide and nitrogen   d) carbon dioxide and nitrogen

22. When two perfect solutions with volume V each are combined, What is the volume of the solution as a result?
a) V   b) 2V
c) Greater than 2V   d) Less than 2V

23. The heat of solution or mixing has a negative side.
a) Heat of solution   b) Heat of dissolution
c) Heat of reaction   d) Heat of mixing

24. A solution made up of numerous components in which each component's property is the weighted sum of its sepa properties. The answer is
a) Ideal Solution   b) Non-Ideal solution
c) Real Solution   d) None of the mentioned

25. What is an example of camphor in N2 gas?
a) Solid in gas solution   b) Gas in gas solution
c) Solid in liquid solution   d) Liquid in gas solution

26. What makes a solution?
a) Solute and solvent   b) Solute and solute
c) Solvent and solvent   d) None of the above

27. What is the class of the substitution product of LiAlH4 and an alkyl halide reaction?
a) Haloalkane   b) Alkyl nitrite
c) Nitroalkane   d) Hydrocarbon

28. Which of the following statements about SN2 mechanisms is incorrect?
a) The transition state is stable
b) The complete mechanism takes place in a single step
c) The rate of the reaction depends on the concentration of both reactants
d) There is an inversion of configuration

29. What is 3-Bromopropene's common name?
a) Allyl bromide   b) Vinyl bromide
c) Tert-Butyl bromide   d) Propylidene bromide

30. What is the catalyst in the chloroalkane reaction of a primary alcohol with HCl?
a) red phosphorous   b) concentrated H2SO4
c) anhydrous ZnCl2   d) pyridine

Name of Applicant: - ......*Tania*

Father's Name: - ......*Pradeep kumar*

Branch (to be opted):- ......*CS*

Note:- Attempt all Questions. Each question is of 1 mark.

1. If the 5th term of an arithmetic progression is 17 and the 9th term is 37. What is the 1st term?

    (a) -6   (b) -3   (c) 0   (d) 3

2. A die is thrown. Let A be the event that the number obtained is greater than 3. Let B be the event that the number obtained is less than 5. Then $P(A \cup B)$ is

    (a) 3/5   (b) 0   (c) 1   (d) 5/2

3. If $\cos x + \sin x = a$ then the value of $\cos 2x$ is

    (a) a (b) $a\sqrt{2-a}$ (c) $a\sqrt{2+a}$ (d) $a^2 - 1$

4. If $(1 + \sqrt{1+x}) \tan x = 1 + \sqrt{1+x}$ then $\sin 4x =$

    (a) 4x   (b) 2x   (c) x   (d) none of these

5. For the real value of $\cos \theta = x + \dfrac{1}{x}$ then

    (a) θ is acute angle   (b) θ is obtuse angle   (c) right angle   (d) none of these

6. If $\tan \alpha = \dfrac{1}{7}$, $\tan \beta = \dfrac{1}{3}$, then $\cos 2\alpha =$

    (a) $\sin 2\beta$ (b) $\sin 4\beta$ (c) $\sin 4\beta$ (d) $\cos 2\beta$

7. The value of $2018 \displaystyle\int_0^1 \dfrac{e^{\cos \pi x}}{e^{\cos \pi x} + e^{-\cos \pi x}} dx$ is

    (a) 1008   (b) 1009   (c) 2017   (d) 2000

Dean Academics
R.D. Engineering College
Duhai, Ghaziabad

Registrar
R.D. Engineering College
Ghaziabad

Director
R.D. Engineering College
Duhai Gh.

8. If $2^x + 2^y = 2^{x+y}$ then $\dfrac{dy}{dx}$ at $x = 1 = y$

(a) 0   (b) -1   (c) 1   (d) 2

9. Derivative of $\cos^{-1}\left(\dfrac{x^{-1} - x}{x^{-1} + x}\right)$ at $x = -1$ is

(a) -2   (b) -1   (c) 0   (d) 1

10. A number is chosen form among the first 30 natural numbers. The probability that the number is a prime number i:

(a) $\dfrac{1}{3}$ (b) $\dfrac{3}{10}$ (c) $\dfrac{1}{30}$ (d) $\dfrac{11}{30}$

11. The value of gravitational acceleration on Earth is

(a) 9.8 m/s   (b) 9.8 m/s^2 (c) 8.9 m/s   (d) 8.9 m/s^2

12. What would be the height of an artificial satellite so that it remains stationary with respect to earth's surface?

(a) 36000 km above the earth surface   (b) 40000 km above the earth surface

(c) 26000 km above the earth surface   (d) 63000 km above the earth surface

13. The value of gravitational acceleration

(a) increases as height increases from the earth.   (b) decreases as height increases from the earth.

(c) remains constant.   (d) None of the above

14. The centripetal force required by the artificial satellite to revolve around earth is provided by

(a) fuel contained in the satellite   (b) gravitational force due to sun

(c) gravitational force due to earth   (d) Thrust produced by burning fuel

15. In which region of earth the weight of a body is slightly greater than the other regions?

(a) At polar region   (b) At equator   (c) Tropic of Cancer   (d) None of this

16. What is the value of the escape velocity of earth?   (a) 9.8 km/sec   (b) 10 km/sec   (c) 11.2 km/sec   (d) 12 km/s

17. How much time does a polar satellite take to complete one revolution around earth?

(a) 1 hour 30 min   (b) 2 hours   (c) 2 hour 20 min   (d) 3 hour

18. In case of a planet's motion on its circular orbit

(a) its velocity remains constant in its orbit (b) its angular velocity remains constant

(c) its total angular momentum remains constant. (d) radius of orbit remains constant.

19. If the radius of earth is decreased keeping its mass constant, then the length of day will

(a) decrease   (b) Increase   (c) remain same   (d) cannot say

20. If the earth would stop rotating then the weight of an object on north pole will

(a) increase   (b) decrease   (c) remain same   (d) be zero

21. Producer gas is defined as which of the following mixtures?
a) carbon dioxide and hydrogen   b) carbon monoxide and hydrogen
c) carbon monoxide and nitrogen   d) carbon dioxide and nitrogen

22. When two perfect solutions with volume V each are combined, What is the volume of the solution as a result?
a) V   b) 2V
c) Greater than 2V   d) Less than 2V

23. The heat of solution or mixing has a negative side.
a) Heat of solution   b) Heat of dissolution
c) Heat of reaction   d) Heat of mixing

24. A solution made up of numerous components in which each component's property is the weighted sum of its sepa properties. The answer is
a) Ideal Solution   b) Non-Ideal solution
c) Real Solution   d) None of the mentioned

25. What is an example of camphor in N2 gas?
a) Solid in gas solution   b) Gas in gas solution
c) Solid in liquid solution   d) Liquid in gas solution

26. What makes a solution?
a) Solute and solvent   b) Solute and solute
c) Solvent and solvent   d) None of the above

27. What is the class of the substitution product of LiAlH4 and an alkyl halide reaction?
a) Haloalkane   b) Alkyl nitrite
c) Nitroalkane   d) Hydrocarbon

28. Which of the following statements about SN2 mechanisms is incorrect?
a) The transition state is stable
b) The complete mechanism takes place in a single step
c) The rate of the reaction depends on the concentration of both reactants
d) There is an inversion of configuration

29. What is 3-Bromopropene's common name?
a) Allyl bromide   b) Vinyl bromide
c) Tert-Butyl bromide   d) Propylidene bromide

30. What is the catalyst in the chloroalkane reaction of a primary alcohol with HCl?
a) red phosphorous   b) concentrated H2SO4
c) anhydrous ZnCl2   d) pyridine

Dean Academics
R.D. Engineering College
Duhai, Ghaziabad

Registrar
R.D. Engineering College
Ghaziabad

Director
R.D. Engineering College
Duhai, Gha

Pushplata Scholarship Scheme

Qualifying Examination   Time: - 2 Hrs

Admission Year – (2022-23)

Name of Applicant: - MOHD. ADNAN

Father's Name: - MOHD. UMAR

Branch (to be opted):- CS:A.IML

Note:- Attempt all Questions. Each question is of 1 mark.

1. If the 5th term of an arithmetic progression is 17 and the 9th term is 37. What is the 1st term?
   (a) -6   (b) -3   (c) 0   (d) 3

2. A die is thrown. Let A be the event that the number obtained is greater than   3. Let B be the event that the number obtained is less than 5. Then P (A ∪ B) is
   (a) 3/5   (b) 0   (c) 1   (d) 5/2

3. If Cos x + sin x = a then the value of cos 2x is

   (a) a   (b) $a\sqrt{2-a}$ (c) $a\sqrt{2+a}$ (d) $a^2 - 1$

4. If $(1+ \sqrt{1+x})\tan x = i + \sqrt{1+x}$ then sin 4x =

   (a) 4x   (b) 2x   (c) x   (d) none of these

5. For the real value of cos $\theta = x + \dfrac{1}{x}$ then

   (a) θ is acute angle   (b) θ is obtuse angle   (c) right angle   (d) none of these

6. If $\tan \alpha = \dfrac{1}{7}$, $\tan \beta = \dfrac{1}{3}$, then cos 2$\alpha$ =

   (a) Sin 2β (b) Sin 4β (c) Sin 4β (d) cos2β

7. The value of $2018\int_{0}^{1}\dfrac{e^{\cos \pi x}}{e^{\cos \pi x}+e^{-\cos \pi x}}dx$ is

   (a) 1008   (b) 1009   (c) 2017   (d) 2000

8. If $2^x + 2^y = 2^{x+y}$ then $\dfrac{dy}{dx}$ at $x = 1 = y$

(a) 0   (b) -1   (c) 1   (d) 2

9. Derivative of $\cos^{-1}(\dfrac{x^{-1}-x}{x^{-1}+x})$ at $x = -1$ is

(a) -2   (b) -1   (c) 0   (d)1

10. A number is chosen form among the first 30 natural numbers. The probability that the number is a prime number i:

(a) $\dfrac{1}{3}$ (b) $\dfrac{3}{10}$ (c) $\dfrac{1}{30}$ (d) $\dfrac{11}{30}$

11. The value of gravitational acceleration on Earth is

(a) 9.8 m/s   (b) 9.8 m/s^2 (c) 8.9 m/s   (d) 8.9 m/s^2

12. What would be the height of an artificial satellite so that it remains stationary with respect to earth's surface

(a) 36000 km above the earth surface   (b) 40000 km above the earth surface

(c) 26000 km above the earth surface   (d) 63000 km above the earth surface

13. The value of gravitational acceleration

(a) increases as height increases from the earth.   (b) decreases as height increases from the earth.

(c) remains constant.   (d) None of the above

14. The centripetal force required by the artificial satellite to revolve around earth is provided by

(a) fuel contained in the satellite   (b) gravitational force due to sun

(c) gravitational force due to earth   (d) Thrust produced by burning fuel

15. In which region of earth the weight of a body is slightly greater than the other regions?

(a) At polar region   (b) At equator   (c) Tropic of Cancer   (d) None of this

16. What is the value of the escape velocity of earth?   (a) 9.8 km/sec   (b) 10 km/sec   (c) 11.2 km/sec   (d) 12 km/s

17. How much time does a polar satellite take to complete one revolution around earth?

(a) 1 hour 30 min   (b) 2 hours   (c) 2 hour 20 min   (d) 3 hour

18. In case of a planet's motion on its circular orbit

(ā) its velocity remains constant in its orbit   (b) its angular velocity remains constant

(c) its total angular momentum remains constant. (d) radius of orbit remains constant.

19. If the radius of earth is decreased keeping its mass constant, then the length of day will

(a) decrease   (b) Increase   (c) remain same   (d) cannot say

20. If the earth would stop rotating then the weight of an object on north pole will

(a) increase   (b) decrease   (c) remain same   (d) be zero

21. Producer gas is defined as which of the following mixtures?
a) carbon dioxide and hydrogen   b) carbon monoxide and hydrogen
c) carbon monoxide and nitrogen   d) carbon dioxide and nitrogen

22. When two perfect solutions with volume V each are combined, What is the volume of the solution as a result?
a) V   b) 2V
c) Greater than 2V   d) Less than 2V

23. The heat of solution or mixing has a negative side.
a) Heat of solution   b) Heat of dissolution
c) Heat of reaction   d) Heat of mixing

24. A solution made up of numerous components in which each component's property is the weighted sum of its sepa properties. The answer is
a) Ideal Solution   b) Non-Ideal solution
c) Real Solution   d) None of the mentioned

25. What is an example of camphor in N2 gas?
a) Solid in gas solution   b) Gas in gas solution
c) Solid in liquid solution   d) Liquid in gas solution

26. What makes a solution?
a) Solute and solvent   b) Solute and solute
c) Solvent and solvent   d) None of the above

27. What is the class of the substitution product of LiAlH4 and an alkyl halide reaction?
a) Haloalkane   b) Alkyl nitrite
c) Nitroalkane   d) Hydrocarbon

28. Which of the following statements about SN2 mechanisms is incorrect?
a) The transition state is stable
b) The complete mechanism takes place in a single step
c) The rate of the reaction depends on the concentration of both reactants
d) There is an inversion of configuration

29. What is 3-Bromopropene's common name?
a) Allyl bromide   b) Vinyl bromide
c) Tert-Butyl bromide   d) Propylidene bromide

30. What is the catalyst in the chloroalkane reaction of a primary alcohol with HCl?
a) red phosphorous   b) concentrated H2SO4
c) anhydrous ZnCl2   d) pyridine

Pushplata Scholarship Scheme

<u>Qualifying Examination</u>   Time: - 2 Hrs

<u>Admission Year – (2022-23)</u>

Name of Applicant: - Varshita Aggarwal

Father's Name: - Arun Kumar

Branch (to be opted):- CS

28 / 30

<u>Note:-</u> **Attempt all Questions. Each question is of 1 mark.**

1. If the 5th term of an arithmetic progression is 17 and the 9th term is 37. What is the 1st term?
   (a) -6   (b) -3   (c) 0   (d) 3

2. A die is thrown. Let A be the event that the number obtained is greater than 3. Let B be the event that the number obtained is less than 5. Then P (A ∪ B) is
   (a) 3/5   (b) 0   (c) 1   (d) 5/2

3. If Cos x + sin x = a then the value of cos 2x is

   (a) a   (b) $a\sqrt{2-a}$ (c) $a\sqrt{2+a}$ (d) $a^2 - 1$

4. If $(1 + \sqrt{1+x})$ tan x = $1 + \sqrt{1+x}$ then sin 4x =

   (a) 4x   (b) 2x   (c) x   (d) none of these

5. For the real value of cos $\theta = x + \dfrac{1}{x}$ then

   (a) θ is acute angle   (b) θ is obtuse angle   (c) right angle   (d) none of these

6. If tan $\alpha = \dfrac{1}{7}$, tan $\beta = \dfrac{1}{3}$, then cos 2α =

   (a) Sin 2β (b) Sin 4β (c) Sin 4β (d) cos2β

7. The value of $2018\displaystyle\int_0^1 \dfrac{e^{\cos \pi x}}{e^{\cos \pi x} + e^{-\cos \pi x}}dx$ is

   (a) 1008   (b) 1009   (c) 2017   (d) 2000

8. If $2^x + 2^y = 2^{x+y}$ then $\dfrac{dy}{dx}$ at x = 1= y

(a) 0   (b) -1   (c) 1   (d) 2

9. Derivative of $\cos^{-1}\left(\dfrac{x^{-1} - x}{x^{-1} + x}\right)$ at x= -1 is

(a) -2   (b) -1   (c) 0   (d)1

10. A number is chosen form among the first 30 natural numbers. The probability that the number is a prime number is

(a) $\dfrac{1}{3}$ (b) $\dfrac{3}{10}$ (c) $\dfrac{1}{30}$ (d) $\dfrac{11}{30}$

11. The value of gravitational acceleration on Earth is

(a) 9.8 m/s   (b) 9.8 m/s^2 (c) 8.9 m/s   (d) 8.9 m/s^2

12. What would be the height of an artificial satellite so that it remains stationary with respect to earth's surface

(a) 36000 km above the earth surface   (b) 40000 km above the earth surface

(c) 26000 km above the earth surface   (d) 63000 km above the earth surface

13. The value of gravitational acceleration

(a) increases as height increases from the earth.   (b) decreases as height increases from the earth.

(c) remains constant.   (d) None of the above

14. The centripetal force required by the artificial satellite to revolve around earth is provided by

(a) fuel contained in the satellite   (b) gravitational force due to sun

(c) gravitational force due to earth   (d) Thrust produced by burning fuel

15. In which region of earth the weight of a body is slightly greater than the other regions?

(a) At polar region   (b) At equator   (c) Tropic of Cancer   (d) None of this

16. What is the value of the escape velocity of earth?   (a) 9.8 km/sec   (b) 10 km/sec   (c) 11.2 km/sec   (d) 12 km/s

17. How much time does a polar satellite take to complete one revolution around earth?

(a) 1 hour 30 min   (b) 2 hours   (c) 2 hour 20 min   (d) 3 hour

18. In case of a planet's motion on its circular orbit

(a) its velocity remains constant in its orbit   (b) its angular velocity remains constant

(c) its total angular momentum remains constant. (d) radius of orbit remains constant.

19. If the radius of earth is decreased keeping its mass constant, then the length of day will

(a) decrease   (b) Increase   (c) remain same   (d) cannot say

20. If the earth would stop rotating then the weight of an object on north pole will

(a) increase   (b) decrease   (c) remain same   (d) be zero

21. Producer gas is defined as which of the following mixtures?
a) carbon dioxide and hydrogen   b) carbon monoxide and hydrogen
c) carbon monoxide and nitrogen   d) carbon dioxide and nitrogen

22. When two perfect solutions with volume V each are combined, What is the volume of the solution as a result?
a) V   b) 2V
c) Greater than 2V   d) Less than 2V

23. The heat of solution or mixing has a negative side.
a) Heat of solution   b) Heat of dissolution
c) Heat of reaction   d) Heat of mixing

24. A solution made up of numerous components in which each component's property is the weighted sum of its sepa
properties. The answer is
a) Ideal Solution   b) Non-Ideal solution
c) Real Solution   d) None of the mentioned

25. What is an example of camphor in N2 gas?
a) Solid in gas solution   b) Gas in gas solution
c) Solid in liquid solution   d) Liquid in gas solution

26. What makes a solution?
a) Solute and solvent   b) Solute and solute
c) Solvent and solvent   d) None of the above

27. What is the class of the substitution product of LiAlH4 and an alkyl halide reaction?
a) Haloalkane   b) Alkyl nitrite
c) Nitroalkane   d) Hydrocarbon

28. Which of the following statements about SN2 mechanisms is incorrect?
a) The transition state is stable
b) The complete mechanism takes place in a single step
c) The rate of the reaction depends on the concentration of both reactants
d) There is an inversion of configuration

29. What is 3-Bromopropene's common name?
a) Allyl bromide   b) Vinyl bromide
c) Tert-Butyl bromide   d) Propylidene bromide

30. What is the catalyst in the chloroalkane reaction of a primary alcohol with HCl?
a) red phosphorous   b) concentrated H2SO4
c) anhydrous ZnCl2   d) pyridine

Pushplata Scholarship Scheme

<u>Qualifying Examination</u>

Time: - 2 Hrs

<u>Admission Year – (2022-23)</u>

Name of Applicant: - ..Rishi.. Mishra

Father's Name: - .Ranjeet. Mishra

Branch (to be opted):- ..IT......

$\frac{29}{30}$

<u>Note:-</u> Attempt all Questions. Each question is of 1 mark.

1. If the 5th term of an arithmetic progression is 17 and the 9th term is 37. What is the 1st term?
   (a) -6   (b) -3   (c) 0   (d) 3

2. A die is thrown. Let A be the event that the number obtained is greater than 3. Let B be the event that the number obtained is less than 5. Then $P(A \cup B)$ is
   (a) 3/5   (b) 0   (c) 1   (d) 5/2

3. If $\cos x + \sin x = a$ then the value of $\cos 2x$ is

   (a) a (b) $a\sqrt{2-a}$ (c) $a\sqrt{2+a}$ (d) $a^2 - 1$

4. If $(1 + \sqrt{1+x})\tan x = 1 + \sqrt{1+x}$ then $\sin 4x =$

   (a) $4x$ (b) $2x$ (c) x (d) none of these

5. For the real value of $\cos\theta = x + \dfrac{1}{x}$ then

   (a) θ is acute angle   (b) θ is obtuse angle   (c) right angle   (d) none of these

6. If $\tan\alpha = \dfrac{1}{7}$, $\tan\beta = \dfrac{1}{3}$, then $\cos 2\alpha =$

   (a) $\sin 2\beta$ (b) $\sin 4\beta$ (c) $\sin 4\beta$ (d) $\cos 2\beta$

7. The value of $2018\displaystyle\int_0^1 \frac{e^{\cos\pi x}}{e^{\cos\pi x} + e^{-\cos\pi x}}dx$ is

   (a) 1008   (b) 1009   (c) 2017   (d) 2000

Dean Academics
R.D. Engineering College
Duhai, Ghaziabad

Registrar
R.D. Engineering College
Ghaziabad

Director
R.D. Engineering College
Duhai, Ghaziabad

8. If $2^x + 2^y = 2^{x+y}$ then $\dfrac{dy}{dx}$ at $x = 1 = y$

(a) 0   (b) -1   (c) 1   (d) 2

9. Derivative of $\cos^{-1}\left(\dfrac{x^{-1}-x}{x^{-1}+x}\right)$ at $x = -1$ is

(a) -2   (b) -1   (c) 0   (d)1

10. A number is chosen form among the first 30 natural numbers. The probability that the number is a prime number i:

(a) $\dfrac{1}{3}$ (b) $\dfrac{3}{10}$ (c) $\dfrac{1}{30}$ (d) $\dfrac{11}{30}$

11. The value of gravitational acceleration on Earth is

(a) 9.8 m/s   (b) 9.8 m/s²   (c) 8.9 m/s   (d) 8.9 m/s²

12. What would be the height of an artificial satellite so that it remains stationary with respect to earth's surface

(a) 36000 km above the earth surface   (b) 40000 km above the earth surface

(c) 26000 km above the earth surface   (d) 63000 km above the earth surface

13. The value of gravitational acceleration

(a) increases as height increases from the earth.   (b) decreases as height increases from the earth.

(c) remains constant.   (d) None of the above

14. The centripetal force required by the artificial satellite to revolve around earth is provided by

(a) fuel contained in the satellite   (b) gravitational force due to sun

(c) gravitational force due to earth   (d) Thrust produced by burning fuel

15. In which region of earth the weight of a body is slightly greater than the other regions?

(a) At polar region   (b) At equator   (c) Tropic of Cancer   (d) None of this

16. What is the value of the escape velocity of earth?   (a) 9.8 km/sec   (b) 10 km/sec   (c) 11.2 km/sec   (d) 12 km/s

17. How much time does a polar satellite take to complete one revolution around earth?

(a) 1 hour 30 min   (b) 2 hours   (c) 2 hour 20 min   (d) 3 hour

18. In case of a planet's motion on its circular orbit

(a) its velocity remains constant in its orbit   (b) its angular velocity remains constant

(c) its total angular momentum remains constant. (d) radius of orbit remains constant.

19.If the radius of earth is decreased keeping its mass constant, then the length of day will

(a) decrease   (b) Increase   (c) remain same   (d) cannot say

20.If the earth would stop rotating then the weight of an object on north pole will

(a) increase   (b) decrease   (c) remain same   (d) be zero

21. Producer gas is defined as which of the following mixtures?
a) carbon dioxide and hydrogen   b) carbon monoxide and hydrogen
c) carbon monoxide and nitrogen   d) carbon dioxide and nitrogen

22. When two perfect solutions with volume V each are combined, What is the volume of the solution as a result?
a) V   b) 2V
c) Greater than 2V   d) Less than 2V

23. The heat of solution or mixing has a negative side.
a) Heat of solution   b) Heat of dissolution
c) Heat of reaction   d) Heat of mixing

24. A solution made up of numerous components in which each component's property is the weighted sum of its sepa
properties. The answer is
a) Ideal Solution   b) Non-Ideal solution
c) Real Solution   d) None of the mentioned

25. What is an example of camphor in N2 gas?
a) Solid in gas solution   b) Gas in gas solution
c) Solid in liquid solution   d) Liquid in gas solution

26. What makes a solution?
a) Solute and solvent   b) Solute and solute
c) Solvent and solvent   d) None of the above

27. What is the class of the substitution product of LiAlH4 and an alkyl halide reaction?
a) Haloalkane   b) Alkyl nitrite
c) Nitroalkane   d) Hydrocarbon

28. Which of the following statements about SN2 mechanisms is incorrect?
a) The transition state is stable
b) The complete mechanism takes place in a single step
c) The rate of the reaction depends on the concentration of both reactants
d) There is an inversion of configuration

29. What is 3-Bromopropene's common name?
a) Allyl bromide   b) Vinyl bromide
c) Tert-Butyl bromide   d) Propylidene bromide

30. What is the catalyst in the chloroalkane reaction of a primary alcohol with HCl?
a) red phosphorous   b) concentrated H2SO4
c) anhydrous ZnCl2   d) pyridine

Pushplata Scholarship Scheme

Name of Applicant: - ...Ankur

Father's Name: - ...Narender..

Branch (to be opted):- .CS.-.I.O.T

Note:- Attempt all Questions. Each question is of 1 mark.

1. If the 5th term of an arithmetic progression is 17 and the 9th term is 37. What is the 1st term?
   (a) -6 (b) -3 (c) 0 (d) 3

2. A die is thrown. Let A be the event that the number obtained is greater than 3. Let B be the event that the number obtained is less than 5. Then $P(A \cup B)$ is
   (a) 3/5 (b) 0 (c) 1 (d) 5/2

3. If $\cos x + \sin x = a$ then the value of $\cos 2x$ is

   (a) a   (b) $a\sqrt{2-a}$ (c) $a\sqrt{2+a}$ (d) $a^2 - 1$

4. If $(1+\sqrt{1+x})\tan x = 1+\sqrt{1+x}$ then $\sin 4x =$

   (a) 4x   (b) 2x   (c) x   (d) none of these

5. For the real value of $\cos \theta = x + \dfrac{1}{x}$ then

   (a) θ is acute angle   (b) θ is obtuse angle   (c) right angle   (d) none of these

6. If $\tan \alpha = \dfrac{1}{7}$, $\tan \beta = \dfrac{1}{3}$, then $\cos 2\alpha =$

   (a) $\sin 2\beta$ (b) $\sin 4\beta$ (c) $\sin 4\beta$ (d) $\cos 2\beta$

7. The value of $2018\int_0^1 \dfrac{e^{\cos \pi x}}{e^{\cos \pi x}+e^{-\cos \pi x}}dx$ is

   (a) 1008   (b) 1009   (c) 2017   (d) 2000

Dean Academics
R.D. Engineering College
Duhai, Ghaziabad

Registrar
R.D. Engineering College
Ghaziabad

Director
R.D. Engineering College
Duhai, Ghaziabad

8. If $2^x + 2^y = 2^{x+y}$ then $\dfrac{dy}{dx}$ at $x = 1 = y$

(a) 0   (b) -1   (c) 1   (d) 2

9. Derivative of $\cos^{-1}\left(\dfrac{x^{-1}-x}{x^{-1}+x}\right)$ at $x = -1$ is

(a) -2   (b) -1   (c) 0   (d) 1

10. A number is chosen form among the first 30 natural numbers. The probability that the number is a prime number i:

(a) $\dfrac{1}{3}$ (b) $\dfrac{3}{10}$ (c) $\dfrac{1}{30}$ (d) $\dfrac{11}{30}$

11. The value of gravitational acceleration on Earth is

(a) 9.8 m/s   (b) 9.8 m/s^2 (c) 8.9 m/s   (d) 8.9 m/s^2

12. What would be the height of an artificial satellite so that it remains stationary with respect to earth's surface?

(a) 36000 km above the earth surface   (b) 40000 km above the earth surface

(c) 26000 km above the earth surface   (d) 63000 km above the earth surface

13. The value of gravitational acceleration

(a) increases as height increases from the earth.   (b) decreases as height increases from the earth.

(c) remains constant.   (d) None of the above

14. The centripetal force required by the artificial satellite to revolve around earth is provided by

(a) fuel contained in the satellite   (b) gravitational force due to sun

(c) gravitational force due to earth   (d) Thrust produced by burning fuel

15. In which region of earth the weight of a body is slightly greater than the other regions?

(a) At polar region   (b) At equator   (c) Tropic of Cancer   (d) None of this

16. What is the value of the escape velocity of earth?   (a) 9.8 km/sec   (b) 10 km/sec   (c) 11.2 km/sec   (d) 12 km/s

17. How much time does a polar satellite take to complete one revolution around earth?

(a) 1 hour 30 min   (b) 2 hours   (c) 2 hour 20 min   (d) 3 hour

18. In case of a planet's motion on its circular orbit

(a) its velocity remains constant in its orbit   (b) its angular velocity remains constant

(c) its total angular momentum remains constant. (d) radius of orbit remains constant.

19.If the radius of earth is decreased keeping its mass constant, then the length of day will

(a) decrease   (b) Increase   (c) remain same   (d) cannot say

20.If the earth would stop rotating then the weight of an object on north pole will

(a) increase   (b) decrease   (c) remain same   (d) be zero

21. Producer gas is defined as which of the following mixtures?
a) carbon dioxide and hydrogen   b) carbon monoxide and hydrogen
c) carbon monoxide and nitrogen   d) carbon dioxide and nitrogen
22. When two perfect solutions with volume V each are combined, What is the volume of the solution as a result?
a) V   b) 2V
c) Greater than 2V   d) Less than 2V
23. The heat of solution or mixing has a negative side.
a) Heat of solution   b) Heat of dissolution
c) Heat of reaction   d) Heat of mixing
24. A solution made up of numerous components in which each component's property is the weighted sum of its sepa
properties. The answer is
a) Ideal Solution   b) Non-Ideal solution
c) Real Solution   d) None of the mentioned
25. What is an example of camphor in N2 gas?
a) Solid in gas solution   b) Gas in gas solution
c) Solid in liquid solution   d) Liquid in gas solution
26. What makes a solution?
a) Solute and solvent   b) Solute and solute
c) Solvent and solvent   d) None of the above
27. What is the class of the substitution product of LiAlH4 and an alkyl halide reaction?
a) Haloalkane   b) Alkyl nitrite
c) Nitroalkane   d) Hydrocarbon
28. Which of the following statements about SN2 mechanisms is incorrect?
a) The transition state is stable
b) The complete mechanism takes place in a single step
c) The rate of the reaction depends on the concentration of both reactants
d) There is an inversion of configuration
29. What is 3-Bromopropene's common name?
a) Allyl bromide   b) Vinyl bromide
c) Tert-Butyl bromide   d) Propylidene bromide
30. What is the catalyst in the chloroalkane reaction of a primary alcohol with HCl?
a) red phosphorous   b) concentrated H2SO4
c) anhydrous ZnCl2   d) pyridine